CHROMATOGRAPHIA

An International Journal for Rapid Communication in Chromatography and Associated Techniques

Chromatographia Vol. 31, 1991

Contents

Author Index

Key Word Index

Subject Index

Chromatographia Vol. 31, Contents

Contents Vol. 31, 1/2, January 1991

Originals

Separation, Quantification, Spectral Properties and Stability of Photosynthetic Pigments on CN-Coated HPTLC Plates 5
M.-H. Daurade-Le Vagueresse / M. Bounias

Themoanalytical and Gas Chromatographic Properties of the Copper(II) Complexes of Alkyl-Substituted Schiff's Bases 11
A. M. Maitra / E. Patsalides

Analysis of Sodium Polycarboxylates in Detergents by Size Exclusion Chromatography 17
G. Krusche / J. Illert / H. Mandery

Studies on the Porous Structure of Di(methacryloyloxymethyl) Naphthalene-Divinylbenzene Copolymers by Inverse Exclusion Chromatography 21
B. Gawdzik

Retention Behavior of Dipeptide Isomers in Reversed-Phase High-Performance Liquid Chromatography 27
H. F. Zou / Y. K. Zhang / L. F. Dong / P. C. Lu

Extrapolation of Isothermal Retention Data in Gas Chromatography for Chiral Recognition Studies 31
B. Koppenhoefer / S. Abdalla / M. Hummel

Chromatographic Behaviour of Homologous Amines: Comparison of Derivatizing Agents, Columns and Mobile Phases 41
E. Mentasti / C. Sarzanini / O. Abollino / V. Porta

Separation and Quantitation of Nicergoline and Related Substances by High-Performance Liquid Chromatography/Atmospheric Pressure Ionization Mass Spectrometry 50
K. Banno / S. Horimoto

Stereochemical Resolution of Enantiomeric-2-Aryl-Propionic Acid Non-Steroidal Anti-Inflammatory Drugs on a Human Serum Albumin Based High-Peformance Liquid Chromatographic Chiral Stationry Phase 55
T. A. G. Noctor / G. Felix / I. W. Wainer

Chromatography of Inorganic Ions on Diethyl-(2-hydroxy-propyl)aminoethyl Cellulose Layers in Hydrochloric Acid and in HCl-Ammonium Chloride Media 60
T. Shimizu / K. Hashimoto / K. Tsunoda

The Existence of a Ligand Bound to the Serum Orosomucoid of Cigarette Smokers 63
M. Treuheit / H. B. Halsall

Quantitation of Cortico-Steroids as Common Adulterants in Local Drugs by HPLC 67
S. Ahmed / M. Riaz

Separation and Characterization of a Viscosity Index Improver Copolymer by High-Performance Liquid Chromatography 71
D. Blanco-Gomis / J. M. LeBourgeois / R. Rosset

Kováts' Coefficients for Predicting Polarities in Silicone Stationary Phases and Their Mixtures 75
E. Fernández-Sánchez / A. Fernández-Torres / J. A. García-Domínguez / J. M. Santiuste

Chromatography of Inorganic Anions on Poly(Vinyl Alcohol) Gel Columns with Acidic Eluents 80
F. M. Yamamoto / K. Kihara / S. Rokushika

General Methods to Render Macroporous Stationary Phases Nonporous and Deformable, Exemplified with Agarose and Silica Beads and Their Use in High-Performance Ion-Exchange and Hydrophobic-Interaction Chromatography of Proteins 85
S. Hjertén / J. Mohammad / K. O. Eriksson / J.-L. Liao

Short Communication

Combined Gas Sample Injection and Column Backflushing without Multiport Chromatography Valves 95
E. R. Colson

Contents Vol. 31, 3/4, February 1991

Originals

On-Line Coupling of Liquid Chromatography, Capillary Gas Chromatography and Mass Spectrometry for the Determination and Identification of Polycyclic Aromatic Hydrocarbons in Vegetable Oils 113
J. J. Vrelus / G. J. de Jong / U. A. Th. Brinkman

On the Mechanism of Solute Retention in RP-HPLC Systems with $B + AB_1 + AB_2$ Type Eluents 119
T. Kowalska

Determination of Amino Acid Enantiomers in Orange Juices by Chiral Phase Capillary Gas Chromatography 123
H. Brückner / M. Lüpke

The Influence of End-capping on the Enantioselectivity of a Chiral Phase 129
W. H. Pirkle / R. S. Readnour

A Method for the Determination of Histamine in Wine by HPLC with Precolumn Derivatization with Phenylisothiocyanate 133
M. Calull / R. M. Marcé / J. Fábregas / F. Borrull

Determination of Free Catecholamines in Urine by Direct Injection onto a Shielded Hydrophobic Phase Column 137
D. J. Wang / Y. Qu / H. Hu / P. L. Zhu

Prediction of Retention of O-ethyl, O-aryl and N-isopropyl Phosphoroamidothionates in RP-HPLC from Molecular Structure Parameters 143
H. F. Zou / Q. S. Wang / R. Y. Gao / H. Z. Yang / B. W. Yang / Y. K. Zhang / P. C. Lu

Chromatographic Characterization of a Bonded Liquid Crystal Stationary Phase for HPLC 147
J. J. Pesek / Y. Lu / A. M. Siouffi / F. Grandperrin

Effect of Nature of Support and Impregnating Agent on Lipophilicity Determination for Nonionic Surfactants by Reversed-Phase Thin-Layer Chromatography 152
T. Cserháti / Z. Illés

Retention Behavior of the Inclusion Complexes of Some Polycyclic Aromatic Hydrocarbons with β-Cyclodextrin 157
H. Lamparczyk / P. Zarzycki / R. J. Ochocka / M. Asztemborska / D. Sybilska

Evaluation of an Ion Mobility Detector for Supercritical Fluid Chromatography with Solvent-Modified Carbon Dioxide Mobile Phases 163
M. X. Huang / K. E. Markides / M. L. Lee

Short Communications

Gas Chromatographic Study of Reversible Adduct Formation between Nucleophilic Solutes and Stationary Phases Containing Lanthanide β-Diketonates 168
W. J. Kowalski

Wide-Bore Capillary Column for the Direct Analysis of Ethanolamines and Ethylene Glycols 171
S. Boneva

Computer-Assisted Multifactor Optimization of Selectivity in Gas Chromatography 173
Q. S. Wang / C. S. Zhu / B. W. Yan / H. B. Chen

Review Papers

Silica Surface Controversies, Strong Adsorption Sites, their Blockage and Removal. Part I 177
J. Nawrocki

Silica Surface Controversies, Strong Adsorption Sites, their Blockage and Removal. Part II 193
J. Nawrocki

Contents Vol. 31, No. 5/6, March 1991

Editorial

Endel Küllik in Memoriam 223

Originals

Simulation of Concentration Changes in Complex Volatile Mixtures During Evaporation by Using Gas Chromatography 224
R. Hirz / A. M. Rizzi

On-Line Multidimensional Open Tubular Column Supercritical Fluid Chromatography Using a Valve-Switching Interface 233
L. Q. Xie / Z. Juvancz / K. E. Markides / M. L. Lee

Synthetic Ceramic Clay Material as Stationary Phase in Packed Column Supercritical Fluid Chromatography 239
K. Jinno / H. Mae / M. Yamaguchi / Y. Ohtsu

Gas Chromatographic Evaluation of Wool Wax Alcohols Supported by Principal Component Analysis 243
H. Lamparczyk / M. Miszkiel

High-Performance Quantitative Thin-Layer Chromatography of Flavonoid Glycosides and Biflavonoids of *Cupressus sempervirens* in Relation to Cypress Canker 247
D. Heimler / A. Pieroni

An Analytical Solution of a Newly Proposed Peak Broadening Equation and Extension of Polydispersities to Higher Molecular Weight Averages in Size Exclusion Chromatography (SEC) 251
S. N. E. Omorodion / A. E. Hamielec

Column Packings with Immobilized Methyl Polysiloxane Phases for Gas Chromatography 258
J. Gawdzik

Inertness and Stability of a Maltose-Silica for the Separation of Proteins by HPLC 263
R. E. Huisden / T. Ooms / J. C. Kraak / H. Poppe

Determination of Free Amino Acids by Precolumn Derivatization with Phenylisothiocyanate. Application to Wine Samples 272
M. Calull / J. Fábregas / R. M. Marcé / F. Borrull

A Rapid HPLC Determination of Narasin in Fermentation Broth 277
F. L. Neely

Thin-Layer Chromatography of Metal Ions on a New Carbamide-Formaldehyde Polymer 281
N. U. Perišić-Janjić / S. M. Petrović / S. Podunavac

Column-Switching RPLC for the Trace-Level Determination of Ethylenethiourea in Aqueous Samples 285
E. A. Hogendoorn / P. van Zoonen / U. A. Th. Brinkman

Short Communications

Supercritical Fluid Chromatography of Imidazole Derivatives 293
D. Parlier / D. Thiébaut / M. Caude / R. Rosset

The Quantitative Effect of Microextractor Cell Geometry on the Analytical Supercritical Fluid Extraction Efficiencies of Environmentally Important Compounds 297
K. G. Furton / J. Rein

Zinc Silicate-Bonded Diethyldithiocarbamate – a Selective Adsorbent for Separating Transition Metal Ions and Preconcentration of Palladium (II) 300
D. K. Singh / N. K. Mishra

Isolation of Novel Azadirachtins H and I by High-Performance Liquid Chromatography 303
T. R. Govindachari / G. Sandhya / S. P. Ganeshraj

Contents Vol. 31, No. 7/8, April 1991

Originals

Influence of the Mobilde Phase Composition on the Adsorption Isotherms of an Amino-Acid Derivative on Immobilized Bovine Serum Albumin 323
St. Jacobson / S. Golshan-Shirazi / G. Guiochon

The Effects of pH and Alcoholic Organic Modifiers on the Direct Separation of Some Acidic, Basic and Neutral Compounds on a Commercially Available Ovomucoid Column 329
J. Iredale / A.-F. Aubry / I. Wainer

New Synthesis of Alkyldihydrosilanes and Their Applications in Modification of Silica Gel 335
F. Meiouet / G. Félix / H. Taibi / H. Hommel / A. P. Legrand

Fluorine-Induced Chemiluminescence Detection of Phosphine, Alkyl Phosphines and Monophosphinate Esters 342
Th. G. Chasteen / R. Fall / J. W. Birks / H. R. Martin / R. J. Glinski

Comparison of Surface States of Chemically Modified Silicas in Aqueous Acetonitrile and Methanol 347
K. Tani / Y. Suzuki

The Evaluation of 4-Hydro-3,5-di-tert-butylbenzyl Alcohol as a Combined Antioxidant-Tail-Reducer for Packed-Column Gas-Liquid Chromatography 351
M. B. Evans / C. Pearmain

Acid/Base Characterization of Sepiolite by Inverse Gas Chromatography 357
E. Morales / M. V. Dabrio / C. R. Herrero / J. L. Acosta

A Particle Size Distribution Analysis of Stressed HPLC Column Packing Material 362
T. D. Wilson / D. M. Simmons

Mathematical Structure of Chromatographic Optimization Based on Information Theory:
I. Effekt of Mobile Phase Composition on Precision 367
Y. Hayashi / R. Matsuda

Mathematical Structure of Chromatographic Optimization Based on Information Theory:
II.. Analytical Role of Chromatographic Variables 374
Y. Hayashi / R. Matsuda

Separation of Food-Related Biogenic Amines by Ion-Interaction Reversed-Phase High Performance Liquid Chromatography.Tyramine, Histamine, 2-Phenylethylamine, Tryptamine and Precursor Aminoacids.
Application to Red Wine 381
M. C. Gennaro (C. Abrigo

Estimation of the Degree of Self-Association of Water Using a Novel Retention Model 387
T. Kowalska / A. Podgórny

A Spark Modulator for Correlation Chromatography 393
M. Engelsma / H. C. Smit8k

Letters to the Editors

Determination of Benzene Emission from Fuels – An Exchange of Comments 398

Review Paper

Analysis of Nucleotides, Nucleosides, Nucleobases in Cells by Ion-Pair Reversed-Phase HPLC 401
A.Werner

Contents Vol. 31, No. 9/10, May 1991

Originals

Chiral Amino Acid Microanalysis by Direct Optical Resolution of Fluorescent Derivatives on BSA-Based (Resolvosil) Columns 429
S. Allenmark / S. Andersson

Evaluation of Specific Interactions of Solid Surfaces by Inverse Gas Chromatography. A New Approach Based on Polarizability of the Probes 434
J. B. Donnet / S. J. Park / H. Balard

Automated HPLC-Amino Acid Determination of Protein Hydrolysates by Precolumn Derivatization with OPA and FMOC and Comparison with Classical Ion Exchange Chromatography 441
U. Bütikofer / D. Fuchs / J. O. Bosset / W. Gmür

New Approach to Determining Dead-Time of Microcolumns Packed with Cyclodextrin in Supercritical Fluid Chromatography 448
A. Malik / K. Jinno

A GC Method for Chlorinated Pesticides and PCB's in Mussels 453
M. Fernández Muíno / J. de la Montana Miguelez / J. Simal Lozano

Evaluation of New Organoclay Stationary Phases for the Separation of Ethylbenzene and Xylene Isomers 457
A. Zlatkis / J. Jiao

Analysis of Catechins and Proanthocyanidins in Grape Seeds by HPLC with Photodiode Array Detection 465
E. Revilla / M. Bourzeix / E. Alonso

Immunoaffinity Precolumn for Selective Sample Pretreatment in Column Liquid Chromatography: Immunoselective Desorption 469
A. Farjam / A. E. Brugman / A. Soldaat / P. Timmerman / H. Lingeman / G. de Jong / R. W. Frei / U. A. Th. Brinkman

HPLC of Individual Site Glycoforms in Serum Orosomucoid 478
M. Treuheit / H. B. Halsall

Chromatographic Optimization for the Determination of Traces of Selenonium and Arsonium Cations by HPLC with on-line Detection by AAS 481
A. Huyghues-Despointes / G. M. Momplaisir / J. S. Blais / W. D. Marshall

Analysis of Orange and Mandarine Essential Oils by HPLC 489
F. Buiarelli / G. P. Cartoni / F. Coccioli / E. Ravazzi

Flame Ionization Detection for the Determination of the Chemical Composition Distribution of Non-UV Absorbing Copolymers 493
G. H. J. van Doremaele / J. Kurja / H. A. Claessens / A. L.German

Short Communications

Non-linear Calibration of a Nitrogen-Phosphorus Detector for the GC Determination of Amino Acids 500
M. F. Philpott / M. J. Van der Merwe

Separation of Glycated Hemoglobin A_{1C} by High-Performance Liquid Chromatography on a Non-Porous Exchanger 505
S. Nakatani / T. Kitamura / Y. Yamasaki / Y. Kato

Review Paper

Packing Materials with Surface Barriers, Controlled Distribution and Topography of Ligands for Sample Clean-Up and Analysis of Biologically Active Solutes in HPLC 507
K. K. Unger

Contents Vol. 31, No. 11/12, June 1991

Originals

Efficiency in Packed Column Supercritical Fluid Chromatography Using a Modified Mobile Phase 529
T. A. Berger / J. F. Deye

Sulphur Dioxide as a Mobile Phase in Supercritical Fluid Chromatography 535
E. Leren / K. Eitrem Landmark / T. Greibrokk

Reversed-Phase Ion-Interaction Chromatography of Metal Ions by EDTA Precomplexation 539
G. Sacchero / O. Abollino / V. Porta / C. Sarzanini / E. Mentasti

Estimation of Dead-Time in Liquid Chromatography from Retention Behaviour of Homologous Series by Non-Linear Regression 544
H. Wätzig / S. Ebel

Sensitive Pulsed Amperometric Detection of Free and Conjugated Bile Acids in Combination with Gradient Reversed-Phase HPLC 549
R. Dekker / R. van der Meer / C. Olieman

Feasible Solutions for Optimization Problems Involving Unresolved Peaks Using Retention Prediction and Information Theory 554
Y. Hayashi / R. Matsuda / K. Jinno

Retention Behaviour of Aromatic Compounds in Liquid Chromatography and Supercritical Fluid Chromatography with Coarse-Particles of Bonded β-Cyclodextrin Stationary Phase 561
A. Malik / K. Jinno

Comparison of Extraction Methods for the Determination of Polycyclic Aromatic Hydrocarbons in Soot Samples 569
H. A. Claessens / M. M. Rhemrev / J. P. Wevers / A. A. J. Janssen / L. J. Brasser

Comparison of 20 Normal Phase LC Systems for Separation of Chalcones 575
B. Walczak / M.Dreux / J. R. Chretien

N, O Bis(alkylsilyl)carbamates, New Silylating Agents for the Preparation of Chemically Bonded Stationary Phases 583
G. C. Viscomi / F. Cardinali / G. Esposito / M. G. Longobardi / L. Settembri / A. Ziggiotti

Influence of Injection Conditions in Reversed-Phase High-Performance Liquid Chromatography of Chlorophylls and Carotenoids 589
M. Zapata / J. L. Garrido

Statistical Moment Analysis and Deconvolution of Overlapping Chromatographic Peaks 595
C. P. Cai / N. S.Wu

Short Communications

Physico-Chemical Modelling of Solute Retention in Reversed-Phase HPLC with Methanol-Phosphate Buffer Mobile Phase 600
N. Dimova / T. Kowaslka / N. Dimov

Determination of Laidlomycin and 26-Deoxylaidlomycin by High-Performance Liquid Chromatography 603
M. Beran / R. Zielke / K. Dornberger / C. Stengel / J. Zima / U. Graefe